贝环境检测字（2023）第H1945号

江西省贝源检测技术有限公司

委托单位：鄱阳县绿色东方再生能源有限公司

项目类别：

检测类型：委托检测

报告日期：2024年01月10日

贝 环境检测字（2023）第 H1945 号

报告声明

[redacted]

5、对本报告若有疑问，请向[redacted]对检测结果若有异议，请于收到本[redacted]

[redacted]

[redacted]盖发印件本加盖本公司公章无效。

[redacted]

地址：江西省上饶经济技术开发区兴业大道谷创汇信息科技园 5 号楼

邮箱：baogao@bytest.jx.cn

受鄱阳县绿色东方再生能源有限公司委托，对该单位的地下水进行检测

联 系 人：陈沟

联系方式：19967309259

三、检测内容

1、检测点位、样品编号、检测项目及频次见表 1。

表 1 检测项目一览表

项目类别	检测点位	样品编号	检测项目	检测频次
地下水	1#点	GS202312256001	pH 值、总硬度、溶解性总固体、耗氧量、氨氮、硝酸盐、亚硝酸	[illegible]
地下水	[illegible]	[illegible]	水质 pH 值的测定 电极	[illegible]
地下水	总硬度	[illegible]	定法（GB/T 7477-1987）	滴定管	0.05mmol/L
[illegible]	溶解性	生活饮用水标准检验方法 第 4 部	万分之一天平	[illegible]

续表 2 检测方法

		仪 NexIon1000		
氨氮	水质 氨氮的测定 水杨酸分光光度法（HJ 536-2009）	紫外-可见分光光度计 752N/752ZN/XY-BY(a)-12		0.025mg/L
氰化物	水质 氰化物的测定 容量法和分光光度法 （HJ 484-2009）	紫外-可见分光光度计 752N/		0.001mg/L
亚硝酸盐				0.003mg/L

地下水	铬(六价)	金属和类金属指标（GB/T 5750.6-2023）（13.1 二苯碳酰二肼分光光度法）	紫外-可见分光光度计 752N/JX-BY(a)-13	0.004mg/L

四、检测人员和时间

表 4 检测项目参考标准一览表

六、检测结果

项目类别	地下水	检测类型	已送检	现场无抽/采样
采样时间	2023.12.25			
样品性状	均为无色、无气味、无水面油膜及漂浮物。			

检 测 结 果

采样点位及编号 检测项目	1号点 GS2023122580 01	2号点 GS2023122580 02	3号点 GS2023122580 03	标准限值
pH值（无量纲）	6.8	6.8	6.9	6.5～8.5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	0.293	≤20.0
氰化物，mg/L	0.001L	0.001L	0.001L	<0.05
挥发酚，mg/L	0.0003L	0.0003L	0.0003L	<0.002

续表5.1.3 无水冷却塔噪声

邵阳县隆回县马东方再生
能源有限公司

编制：[illegible] 复核：[illegible] 审核：[illegible]

签名：[illegible] 签名：[illegible] 签名：[illegible]

目



现场采样照片